Attorney's Docket: 14413-034001/2003P00138 US01

What is claimed is:

1. A method comprising:

defining a set of attributes associated with at least one resource;

associating a set of constraints with the attributes, the constraints corresponding to a context;

determining that a resource matches the set of attributes and constraints; and

displaying the resource as a selectable resource graphical object on a user device.

2. The method of claim 1, wherein defining the set of attributes comprises:

receiving information that defines an object class of the at least one resource.

- 3. The method of claim 2, further comprising: receiving information that defines an attribute associated with the object class.
- 4. The method of claim 2, wherein receiving information comprises:

receiving information from a user device with a graphical display having an active area for the input of the information.

5. The method of claim 1, further comprises:

displaying a selectable template graphical object on a graphical display device prior to the determining that a resource matches, the template graphical object representing an active area associated with the defined resource.

6. The method of claim 1, wherein defining the set of attributes comprises:

determining the set of attributes based on a profile of a user's interactions with at least one of a user device and an application.

7. The method of claim 1, further comprises:

receiving a selection of the resource template; and
executing an application associated with the found
resource.

- 8. The method of claim 7, wherein executing an application comprises executing the application within a quided procedure workflow.
- 9. The method of claim 1, wherein the resource comprise at least one of an executable application, a datum and a web-page.
- 10. An article comprising a machine-readable medium including machine-executable instructions operative to a cause a machine to:

define a set of attributes associated with at least one resource;

associate a set of constraints with the attributes, the constraints corresponding to a context;

determine that a resource matches the set of attributes and constraints; and

display the resource as a selectable resource graphical object on a user device.

11. The article of claim 10, wherein instructions operative to a cause a machine to define the set of attributes comprises instructions operative to a cause a machine to:

receive information that defines an object class of the at least one resource.

12. The article of claim 11, further comprising instructions operative to a cause a machine to:

receive information that defines an attribute associated with the object class.

13. The article of claim 11, wherein instructions operative to a cause a machine to receive information comprises instructions operative to a cause a machine to:

receive information from a user device with a graphical display having an active area for the input of the information.

14. The article of claim 10, further comprises instructions operative to a cause a machine to:

display a selectable template graphical object on a graphical display device prior to determining that a resource matches, the template graphical object representing an active area associated with the defined resource.

15. The article of claim 10, wherein instructions operative to a cause a machine to define the set of attributes comprises instructions operative to a cause a machine to:

determine the set of attributes based on a profile of a user's interactions with at least one of a user device and an application.

16. The article of claim 10, further comprises instructions operative to a cause a machine to:

receive a selection of the resource template; and execute an application associated with the found resource.

- 17. The article of claim 16, wherein instructions operative to a cause a machine to execute an application comprises instructions operative to a cause a machine to execute the application within a guided procedure workflow.
- 18. The article of claim 10, wherein the resource comprises at least one of an executable application, a datum and a web-page.